#### Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

# **Listing of Claims:**

1. (Currently Amended) A printer for producing rolls of wallpaper, comprising: a cabinet in which is located a media path which extends from a media loading area to a winding area;

a printhead located in the media path;

a bar code scanner for capturing a selection of a pattern or patterns to be printed by the printhead;

a processor which accepts operator inputs from one or more input devices, including said bar code scanner, which are used to configure the printer for producing a particular roll having the selected pattern or patterns printed thereon; and

the winding area adapted to removably retain a core and wind onto it, wallpaper produced by the printer wherein,

the length and design of the roll are determined by the operator inputs.

### 2 - 7. (Cancelled)

8. (Original) A printer as claimed in claim 1, wherein:

the printhead is mounted on a rail on which it slides into and out of a printing position across the path.

9. (Original) A printer as claimed in claim 8, wherein:

the printhead is a page width inkjet style multi-color printhead which is supplied by separate ink reservoirs, the reservoirs connected to the printhead by a number of ink supply tubes, there being a tube disconnect coupling between the reservoirs and the printhead.

10 - 13. (Cancelled)

14. (Original) A printer as claimed in claim 1, wherein:

the path comprises a generally straight path.

15 - 20. (Cancelled)

Appln No. 10/760215

Amdt. Dated: November 21, 2006

Response to Office Action of August 8, 2006

7

21. (Original) A printer as claimed in claim 1 wherein the wallpaper is printed by the

printhead at a rate exceeding 0.02 square meters per second (775 square feet per hour).

22. (Original) A printer as claimed in claim 1 wherein the wallpaper is printed by the

printhead at a rate exceeding 0.1 square meters per second (3875 square feet per hour).

23. (Original) A printer as claimed in claim 1 wherein the wallpaper is printed by the

printhead at a rate exceeding 0.2 square meters per second (7750 square feet per hour).

24. (Original) A printer as claimed in claim 1 wherein the printhead has more than 7680

nozzles.

25. (Original) A printer as claimed in claim 1 wherein the printhead has more than 20,000

nozzles.

26. (Original) A printer as claimed in claim 1 wherein the printhead has more than 100,000

nozzles.

27. (Original) A printer as claimed in claim 1 wherein the printhead has more than 250,000

nozzles.

28. (Original) A printer as claimed in claim 1 wherein the printhead prints ink drops with a

volume of less than 5 picoliters.

29. (Original) A printer as claimed in claim 1 wherein the printhead prints ink drops with a

volume of less than 3 picoliters.

30. (Original) A printer as claimed in claim 1 wherein the printhead prints ink drops with a

volume of less than 1.5 picoliters.

31. (Original) A printer as claimed in claim 1 wherein it is self contained and comprises:

a cabinet in which is located a media path which extends from a media cartridge loading

area to a winding area;

Response to Office Action of August 8, 2006

a full width digital color printhead located in the media path;

a processor which accepts operator inputs which are used to configure the printer for producing a particular roll; and

the winding area adapted to removably retain a core and wind onto it, wallpaper produced by the printer.

## 32 - 39. (Cancelled)

- 40. (Original) A printer as claimed in claim 1 further comprising:
- a frame in which is located a media path which extends from a media loading area to a winding area;
- a printhead located across the media path;
- one or more input devices for capturing operator instructions;
- a processor which accepts operator inputs which are used to configure the printer for producing a particular roll; and

the winding area adapted to removably retain a core and wind onto it, wallpaper produced by the printer.

### 41 - 43. (Cancelled)

- 44. (Original) A printer as claimed in claim 1 further comprising a printhead assembly which prints onto a moving web that follows a path, the assembly comprising: a full width printhead located across the path; the printhead comprising a color printhead which is at least as wide as the web; the printhead being supplied with a number of different inks which are remote from the printhead and which supply the printhead through tubes.
- 45. (Original) A printer as claimed in claim 1 further comprising:
- a housing in which is located a media path which extends from a blank media intake to a wallpaper exit slot;
- a multi-color roll width removable printhead located in the housing and across the media path;

Appln No. 10/760215

Amdt. Dated: November 21, 2006

Response to Office Action of August 8, 2006

Q

the printhead being supplied by separate ink reservoirs, the reservoirs connected to the

printhead by a an ink supply harness, there being a disconnect coupling between the

reservoirs and the printhead;

one or more input devices for capturing operator instructions;

a processor which accepts operator inputs which are used to configure the printer for

producing a particular roll.

46. (Cancelled)

47. (Original) A printer as claimed in claim 1 further comprising a removable printhead

assembly which prints onto a moving web, the assembly comprising:

a full width stationary printhead located on a rail along which it slides for service and

removal;

a number of replaceable ink reservoirs which supply the printhead with different inks;

the printhead comprising a color printhead which is at least as wide as the web; and

the printhead being supplied with the different inks through tubes which can be disconnected

so the printhead may be removed.

48. (Original) A printer as claimed in claim 1 wherein the printer is a self threading printer

for producing rolls of wallpaper, comprising:

a media loading area adapted to support a media cartridge in a position so that a media

supply slot of the cartridge is closely adjacent to a pilot guide;

a cabinet housing a media path which extends from the pilot guide to a printed media

dispensing slot;

a printhead located across the media path;

a processor which accepts operator inputs which are used to configure the printer for

producing a particular roll;

a motor within the cabinet for advancing a media web out of the media cartridge; and

one or more other motors adapted to urge the media along the path and out of the slot.

49. (Cancelled)